THEORETICAL AND APPLIED GENETICS

Vol. 82 1991

International Journal of Breeding Research and Cell Genetics

Editorial Board

Managing Editor: G. Wenzel, Grünbach

L. Alföldi, Szeged
J. S. F. Barker, Armidale
J. Beckmann, Bet Dagan
E. J. Eisen, Raleigh, NC
Yu. Gleba, Kiev
R. Hagemann, Halle/S.
A. R. Hallauer, Ames, IA
Hu Han, Beijing
A. L. Kahler, Brookings, SD
G. S. Khush, Manila
H. F. Linskens, Heidelberg
J. Mac Key, Uppsala
P. Maliga, Piscataway, NJ
F. Mechelke, Stuttgart
G. Melchers, Tübingen
P. L. Pfahler, Gainesville, FL
I. Potrykus, Zürich
F. Salamini, Köln-Vogelsang
K. Sittmann, Montréal
J. W. Snape, Norwich
P. M. A. Tigerstedt, Helsinki
K. Tsunewaki, Kyoto
L. D. Van Vleck, Lincoln, NE

Springer International

THEORETICAL AND APPLIED GENETICS

International Journal of Breeding Research and Cell Genetics

Founded in 1929 as "Der Züchter", a German journal for theoretical and applied genetics. In 1966 its direction changed from national to international and from plant breeding to genetics and breeding research. The title changed in 1968 to "Theoretical and Applied Genetics". Edited by H. Stubbe from 1946 to 1976 and by H. F. Linskens 1977 to 1987 (Vol. 73).

Copyright

Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract or as part of a published lecture, review, or thesis); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the publisher; and that the manuscript will not be published elsewhere in any language without the consent of the copyright holders.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e.g., as offprints), as well as all translation rights. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data bases, video disks, etc., without first obtaining written permission from the publisher.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the date of its going to press, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Special regulations for photocopies in the USA

Photocopies may be made for personal or in-house use beyond the limitations stipulated under Section 107 or 108 of U.S. Copyright Law, provided a fee is paid. This fee is US $ 0.20 per page, per copy, plus a basic fee of US $ 2.00 per article. All fees should be paid to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0040-5752, the volume, and the first and last page numbers of each article copied. The copyright owner's consent does not include copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publisher.

Printed in Germany – © Springer-Verlag Berlin Heidelberg 1991 · Springer-Verlag GmbH & Co. KG, W-1000 Berlin 33, FRG · Typesetting: Graphischer Betrieb Konrad Triltsch, W-8700 Würzburg, FRG
Printers: Druckwerkstätten Oskar Zach, W-1000 Berlin 31, FRG
Bookbinding: Buchbinderei Helm, W-1000 Berlin 30, FRG

Table of contents

Abbott AG → Gupta D
Abbott AG → Wang J
Abu-Abied M → Sarfatti M
Adams MW → Khairallah MM
Adolf K → Melz G
Andersen SB → Larsen ET
Arnholdt-Schmitt B, Holzapfel B, Schillinger A, Neumann K-H: Variable methylation and differential replication of genomic DNA in cultured carrot root explants during growth induction as influenced by hormonal treatments 283
Arumuganathan K, Slattery JP, Tanksley SD, Earle ED: Preparation and flow cytometric analysis of metaphase chromosomes of tomato 101
Assouad MW → Belhassen E
Atkinson MD → Devos KM
Atkinson MD → Wang ML
Atlan A → Belhassen E

Badaev NS → Badaeva ED
Badaeva ED, Budashkina EB, Badaev NS, Kalinina NP, Shkutina FM: General features of chromosome substitutions in *Triticum aestivum* × *T. timopheevii* hybrids 227
Baird E → Clulow SA
Bariller L → Hinnisdaels S
Barker JSF → Gifford DR
Barth J → Wang J
Battraw M, Hall TC: Stable transformation of *Sorghum bicolor* protoplasts with chimeric neomycin phosphotransferase II and β-glucuronidase genes 161
Bayer RJ → St. Pierre MD
Beardmore JA → Mair GC
Beavis WD, Grant D: A linkage map based on information from four F_2 populations of maize (*Zea mays* L.) 636
Bedo DG → Foster GG
Belhassen E, Dommée B, Atlan A, Gouyon PH, Pomente D, Assouad MW, Couvet D: Complex determination of male sterility in *Thymus vulgaris* L.: genetic and molecular analysis 137
Benito C, Gallego FJ, Zaragoza C, Frade JM, Figueiras AM: Biochemical evidence of a translocation between *6RL*/*7RL* chromosome arms in rye (*Secale cereale* L.). A genetic map of *6R* chromosome 27
Benito C, Zaragoza C, Gallego FJ, Peña A de la, Figueiras AM: A map of rye chromosome *2R* using isozyme and morphological markers 112
Bennett J → Williams MNV
Bennett JH → Jauhar PP
Bentolila S, Guitton C, Bouvet N, Sailland A, Nykaza S, Freyssinet G: Identification of an RFLP marker tightly linked to the *Ht1* gene in maize 393
Bernardo R: Correlation between testcross performance of lines at early and late selfing generations 17
Bevis E → Sproule A
Bhatia CR → Joshua DC
Binns MR → Lin CS
Black LD → Warwick SI
Blanco A, Resta P, Simeone R, Parmar S, Shewry PR, Sabelli P, Lafiandra D: Chromosomal location of seed storage protein genes in the genome of *Dasypyrum villosum* (L.) Candargy 358
Block MD, Debrouwer D: Two T-DNA's co-transformed into *Brassica napus* by a double *Agrobacterium tumefaciens* infection are mainly integrated at the same locus 257
Börner Th → Weihe A
Bogher M → Breiman A
Bolkan H → Messeguer R
Borisyuk N → Kostenyuk I
Bouvet N → Bentolila S
Breiman A, Bogher M, Sternberg H, Graur D: Variability and uniformity of mitochondrial DNA in populations of putative diploid ancestors of common wheat 201
Bressan RA → Rietveld RC
Bringloe D → Chinoy CN
Bristol A → Gorham J
Buco S → Oldroyd B
Budashkina EB → Badaeva ED
Byrne T → Harding J

Campbell WF → Hashim ZN
Carlson MR → Wagner DB
Carman JG → Hashim ZN
Chase CD → Vallejos CE
Cheliak WM, Klimaszewska K: Genetic variation in somatic embryogenic response in open-pollinated families of black spruce 185
Chetelat RT, DeVerna JW: Expression of unilateral incompatibility in pollen of *Lycopersicon pennellii* is determined by major loci on chromosomes 1, 6 and 10 704
Chevre AM → Quiros CF
Chinoy CN, Devos KM, Bringloe D, Gray JC, Gale MD, Dyer TA: RFLP Reports. Chromosomal location of the genes for ferredoxin in wheat, barley and rye 1
Chinoy CN → Devos KM
Chinoy CN → Wang ML
Clarke GR → Jackson JF
Clason D → Cryder CM
Clulow SA, Wilkinson MJ, Waugh R, Baird E, DeMaine MJ, Powell W: Cytological and molecular observations on *Solanum phureja*-induced dihaploid potatoes 545
Coors JG → Reiter RS
Cordesse F → De Kochko A
Corgan JN → Cryder CM
Couvet D → Belhassen E
Crane CF → Jauhar PP
Croft J → Holford P
Croft JH → Holford P
Cryder CM, Corgan JN, Urquhart NS, Clason D: Isozyme analysis of progeny derived from (*Allium fistulosum* × *Allium cepa*) × *Allium cepa* 337

Dahlfeld G → Spörlein B
Damerval C → Leonardi A
De Kochko A, Kiefer MC, Cordesse F, Reddy AS, Delseny M: Distribution and organization of a tandemly repeated 352-pb sequence in the oryzae family 57
Debrouwer D → Block MD
Del-Favero J → Hinnisdaels S
Delseny M → De Kochko A
Delseny M → Quiros CF
DeMaine MJ → Clulow SA
DeVerna JW → Chetelat RT
Devos KM, Atkinson MD, Chinoy CN, Guiltinan MJ, Quatrano RS, Gale MD: Chromosomal location and variability in wheat, barley and rye of a wheat gene encoding a bZIP protein (EmBP-1) 665
Devos KM, Chinoy CN, Atkinson MD, Hansen L, Wettstein-Knowles P von, Gale MD: Chromosomal location in wheat of the genes coding for the acyl carrier proteins I and II 3
Devos KM → Chinoy CN
Devos KM → Wang ML
Dewey WG → Jauhar PP
Dijak M → Sproule A
Dommée B → Belhassen E
Donaldson P → Sproule A
Dong J → Wagner DB
Dooner HK → James Jr DW
Douches DS, Ludlam K, Freyre R: Isozyme and plastid DNA assessment of pedigrees of nineteenth century potato cultivars 195
Dudareva NA → Weihe A
Dumas C → Guilluy C-M
Dyer TA → Chinoy CN

Earle ED → Arumuganathan K
El-Kassaby YA → Roberds JH
El-Kassaby YA → Sutton BCS

Feenstra WJ → Van der Leij FR
Fernández-Rueda P → Naranjo T
Ferwerda MA → Pijnacker LP
Figueiras AM → Benito C
Flanagan DJ → Sutton BCS
Foolad MR → Ranjhan S
Foster GG, Smith PH: Genetic control of *Lucilia cuprina:* analysis of field

trial data using simulation techniques 33
Foster GG: Simulation of genetic control. Homozygous-viable pericentric inversions in field-female killing systems 368
Foster GG, Weller GL, Bedo DG: Homozygous-viable pericentric inversions for genetic control of *Lucilia Cuprina* 681
Frade JM → Benito C
Frankard V, Ghislain M, Negrutiu I, Jacobs M: High threonine producer mutant of *Nicotiana sylvestris* (Spegg. and Comes) 273
Freeman AE → Harris BL
Freyre R → Douches DS
Freyre R → Ortiz R
Freyssinet G → Bentolila S
Friar E, Kochert G: Bamboo germplasm screening with nuclear restriction fragment length polymorphisms 697
Friedman ST → Roberds JH
Friedt W → Kräuter R
Fujiwara K → Kobayshi S

Gabelman WH → Reiter RS
Gale MD → Chinoy CN
Gale MD → Devos KM
Gale MD → Masojć P
Gale MD → Wang ML
Galili G → Giorini S
Gallais A → Leonardi A
Gallego FJ → Benito C
Ganal M → Messeguer R
Gawley JR → Sutton BCS
Gebhardt MD: A note on the application of diallel crosses for the analysis of genetic variation in natural populations 54
Gengenbach BG → Peschke VM
Ghislain M → Frankard V
Gifford DR, Barker JSF: The nonlinearity of offspring-parent regression for total sternopleural bristle number of *Drosophila melanogaster* 217
Gifford DR → Barker JSF
Gill BS → Jauhar PP
Giorini S, Galili G: Characterization of HSP-70 cognate proteins from wheat 615
Gleba Y → Kostenyuk I
Gleddie S → Sproule A
Glimelius K → Wiberg E
Glodek P → Götz K-U
Götz K-U, Glodek P, Rapp K: Crossbreeding effects after long-term selection for purebred performance: a model experiment with mice. 2. Performance of three-breed crosses 65
Goldstein AH: Plant cells selected for resistance to phosphate starvation show enhanced P use efficiency 191
Gorham J, Bristol A, Young EM, Wyn Jones RG: The presence of the enhanced K/Na discrimination trait in diploid *Triticum* species 729
Gouyon PH → Belhassen E
Grant D → Beavis WD
Graur D → Breiman A
Gray JC → Chinoy CN
Guidet FLY → Rogowsky PM
Guilluy C-M, Trick M, Heizmann P, Dumas C: PCR detection of transcripts homologous to the self-incompatibility gene in anthers of *Brassica* 466
Guiltinan MJ → Devos KM
Guitton C → Bentolila S
Gupta D, Abbott AG: Higher plant mitochondrial DNA expression. 2. Influence of nuclear background on the transcription of a mitochondrial open reading frame, ORF25 723

Hall TC → Battraw M
Halward TM, Wynne JC: Generation means analysis for productivity in two diverse peanut crosses 784
Hansen L → Devos KM
Harcourt RL → Wang ML
Harding J, Huang H, Byrne T: Maternal, paternal, additive, and dominance components of variance in Gerbera 756
Harrington R → Herzog S
Harris BL, Freeman AE: Prediction of response with overlapping generations accounting for multistage selection 329
Hasegawa PM → Rietveld RC
Hashim ZN, Campbell WF, Carman JG: Normalization of the DNA content of telophase cells from wheat calli by nutrient modifications 413
Hébert C → Leonardi A
Heizmann P → Guilluy C-M
Hellman M → Wiberg E
Hermsen JGTh → Jongedijk E
Herzog S, Harrington R: The role of hybridization in the karyotype evolution of deer (*Cervidae; Artiodactyla, Mammalia*) 425
Hinnisdaels S, Bariller L, Mouras A, Sidorov V, Del-Favero J, Veuskens J, Negrutiu I, Jacobs M: Highly asymmetric intergeneric nuclear hybrids between *Nicotiana* and *Petunia:* evidence for recombinogenic and translocation events in somatic hybrid plants after "gamma"-fusion 609
Hohmann U, Krolow K-D: Introduction of D-genome chromosomes from *Aegilops squarrosa* L. into tetraploid triticale (AB)(AB)RR (2n = 28) 777
Holford P, Croft JH, Newbury HJ: Differences between, and possible origins of, the cytoplasms found in fertile and male-sterile onions (*Allium cepa* L.) 737
Holford P, Croft J, Newbury HJ: Structural studies of microsporogenesis in fertile and male-sterile onions (*Allium cepa* L.) containing the cms-S cytoplasm 745
Holzapfel B → Arnholdt-Schmitt B
Honeycutt RJ → Welsh J
Hu J → Quiros CF
Huang H → Harding J

Itzhak Y → Levy D
Iwanaga M → Ortiz R

Jackson JF, Clarke GR: Gene flow in an almond orchard 169
Jacobs M → Frankard V
Jacobs M → Hinnisdaels S
Jacobsen E → Van der Leij FR
Jäger-Gussen M → Jähne A
Jähne A, Lazzeri PA, Jäger-Gussen M, Lörz H: Plant regeneration from embryogenic cell suspensions derived from anther cultures of barley (*Hordeum vulgare* L.) 74
James Jr DW, Dooner HK: Novel seed lipid phenotypes in combinations of mutants altered in fatty acid biosynthesis in *Arabidopsis* 409
Jauhar PP, Riera-Lizarazu O, Dewey WG, Gill BS, Crane CF, Bennett JH: Chromosome pairing relationships among the A, B, and D genomes of bread wheat 441
Jongedijk E, Ramanna MS, Sawor Z, Hermsen JGTh: Formation of first division restitution (FDR) 2n-megaspores through pseudohomotypic division in *ds-1* (desynapsis) mutants of diploid potato: routine production of tetraploid progeny from 2xFDR × 2xFDR crosses 645
Joshua DC, Bhatia CR: Alteration of reproductive effort by a monogenic, recessive mutation in jute (*Corchorus capsularis* L.) 254
Jung C → Schmidt T

Kadowaki K → Sakamoto W
Kalinina NP → Badaeva ED
Kameya T → Lee HY
Kastenbaum E → Levy D
Katan J → Sarfatti M
Keller WA → Sproule A
Khairallah MM, Adams MW, Sears BB: Mitochondrial genome size variation and restriction fragment length polymorphisms in three *Phaseolus* species 321
Kiefer MC → De Kochko A
Kishimoto N → Sakamoto W
Klimaszewska K → Cheliak WM
Kobayashi S, Ohgawara T, Fujiwara K, Oiyama I: Analysis of cytoplasmic genomes in somatic hybrids between navel orange (*Citrus sinensis* Osb.) and 'Murcott' tangor 6
Kochert G → Friar E
Koebner RMD → Rogowsky PM
Koop HU → Spörlein B
Kostenyuk I, Lubaretz O, Borisyuk N, Voronin V, Stöckigt J, Gleba Y: Isolation and characterization of inter-

generic somatic hybrids in the Apocynaceae family 713
Kräuter R, Steinmetz A, Friedt W: Efficient interspecific hybridization in the genus *Helianthus* via "embryo rescue" and characterization of the hybrids 521
Krolow K-D → Hohmann U
Krueger SK, Knapp SJ: Mating systems of *Cuphea laminuligera* and *Cuphea lutea* 221

Lafiandra D → Blanco A
Langridge P → Rogowsky PM
Langridge P → Weining S
Larsen ET, Tuvesson IKD, Andersen SB: Nuclear genes affecting percentage of green plants in barley (*Hordeum vulgare* L.) anther culture 417
Lazzeri PA → Jähne A
Lee HY, Kameya T: Selection and characterization of a rice mutant resistant to 5-methyltryptophan 405
Leonardi A, Damerval C, Hébert Y, Gallais A, Vienne D de: Association of protein amount polymorphism (PAP) among maize lines with performance of their hybrids 552
Lester DT → Sutton BCS
Levy D, Kastenbaum E, Itzhak Y: Evaluation of parents and selection for heat tolerance in the early generations of a potato (*Solanum tuberosum* L.) breeding program 130
Lin CS, Binns MR: Assessment of a method for cultivar selection based on regional trial data 379
Lin CS, Binns MR: Genetic properties of four types of stability parameter 505
Litts JC → Ranjhan S
Liu CJ → Wang ML
Lörz H → Jähne A
Louwes KM → Neele AEF
Lubaretz O → Kostenyuk I
Ludlam K → Douches DS

Magnussen S: Index selection with nonlinear profit function as a tool to achieve simultaneous genetic gain 305
Mair GC, Scott AG, Penman DJ, Beardmore JA, Skibinski DOF: Sex determination of the genus *Oreochromis*. 1. Sex reversal, gynogenesis and triploidy in *O. niloticus* (L.) 144
Mair GC, Scott AG, Penman DJ, Skibinski DOF, Beardmore JA: Sex determination in the Genus *Oreochromis*. 2. Sex reversal, hybridisation, gynogenesis and triploidy in *O. aureus* Steindachner 153
Maletsky SI → Weihe A
Malhotra RS, Singh KB: Gene action for cold tolerance in chickpea 598
Martinuzzi O → Skerritt JH
Masojć P, Gale MD: α-Amylase structural genes in rye 771
McClelland M → Welsh J
McGrath JM, Quiros CF: Inheritance of isozyme and RFLP markers in *Brassica campestris* and comparison with *B. oleracea* 668
Mejnartowicz M: Inheritance of chloroplast DNA in *Populus* 477
Melz G, Adolf K: Genetic analysis of rye (*Secale cereale* L.). Genetics of male sterility of the G-type 761
Melzer R → Weihe A
Mengesha MH → Singh AK
Messeguer R, Ganal M, Vicente MC de, Young ND, Bolkan H, Tanksley SD: High resolution RFLP map around the root knot nematode resistance gene (*Mi*) in tomato 529
Messing JA → Ueda T
Metakovsky EV → Skerritt JH
Metzlaff M → Schmidt T
Mohan M → Williams MNV
Mouras A → Hinnisdaels S
Muir WM, Xu S: An approximate method for optimum independent culling level selection for n stages of selection with explicit solutions 457

Nab HJ → Neele AEF
Nair S → Williams MNV
Naranjo T, Fernández-Rueda P: Homoeology of rye chromosome arms to wheat 577
Neele AEF, Nab HJ, Louwes KM: Identification of superior parents in a potato breeding programme 264
Negrutiu I → Frankard V
Negrutiu I → Hinnisdaels S
Neumann K-H → Arnholdt-Schmitt B
Newbury HJ → Holford P
Newton CH → Sutton BCS
Nickell CD → Stephens PA
Nykaza S → Bentolila S

Ohgawara T → Kobayshi S
Oiyama I → Kobayshi S
Oldroyd B, Rinderer T, Buco S: Heritability of morphological characters used to distinguish European and Africanized honeybees 499
Oosterhaven K → Van der Leij FR
Ortiz R, Peloquin SJ, Freyre R, Iwanaga M: Efficiency of potato breeding using FDR 2n gametes for multitrait selection and progeny testing 602
Osborn TC → Song KM

Pande N → Williams MNV
Pandeya R → Sproule A
Parmar S → Blanco A
Payne TS → Singh RP
Peloquin SJ → Ortiz R
Peloquin SJ → Watanabe K
Peña A de la → Benito C
Penman DJ → Mair GC
Peschke VM, Phillips RL, Gengenbach BG: Genetic and molecular analysis of tissue-culture-derived *Ac* elements 121
Phillips RL → Peschke VM
Pijnacker LP, Ferwerda MA: Nucleolar organizer function in developing potato calli 587
Pomente D → Belhassen E
Powell W → Clulow SA

Quatrano RS → Devos KM
Quiros CF, Hu J, This P, Chevre AM, Delseny M: Development and chromosomal localization of genome-specific markers by polymerase chain reaction in *Brassica* 627
Quiros CF → McGrath JM

Råhlen L → Wiberg E
Rajaram S → Singh RP
Ramaiah CD → Singh AK
Ramanna MS → Jongedijk E
Ranjhan S, Litts JC, Foolad MR, Rodriguez RL: Chromosomal localization and genomic organization of α-amylase genes in rice (*Oryza sativa* L.) 481
Rapp K → Götz K-U
Reboud X, Till-Bottraud I: The cost of herbicide resistance measured by a competition experiment 690
Reddy AS → De Kochko A
Reiter RS, Coors JG, Sussman MR, Gabelman WH: Genetic analysis of tolerance to low-phosphorus stress in maize using restriction fragment length polymorphisms 561
Resta P → Blanco A
Riera-Lizarazu O → Jauhar PP
Rietveld RC, Hasegawa PM, Bressan RA: Somaclonal variation in tuber disc-derived populations of potato. I. Evidence of genetic stability across tuber generations and diverse locations 430
Rinderer T → Oldroyd B
Roberds JH, Friedman ST, El-Kassaby YA: Effective number of pollen parents in clonal seed orchards 313
Rodriguez RL → Ranjhan S
Rogers WJ → Wang ML
Rogowsky PM, Guidet FLY, Langridge P, Shepherd KW, Koebner RMD: Isolation and characterization of wheat-rye recombinants involving chromosome arm 1DS of wheat 537
Rutledge JJ → Wang CS

Sabelli P → Blanco A
Sailland A → Bentolila S
Saito A → Sakamoto W
Sakamoto W, Kadowaki K, Kishimoto N, Yano M, Saito A, Tano S: RFLP analysis of nuclear DNAs homologous with mitochondrial plasmid-like DNAs in cultivated rice 179

Salganik RI → Weihe A
Sarfatti M, Abu-Abied M, Katan J, Zamir D: RFLP mapping of *I1*, a new locus in tomato conferring resistance against *Fusarium oxysporum* f. sp. *lycopersici* race 1 22
Sawor Z → Jongedijk E
Schillinger A → Arnholdt-Schmitt B
Schmidt T, Jung C, Metzlaff M: Distribution and evolution of two satellite DNAs in the genus *Beta* 793
Scott AG → Mair GC
Sears BB → Khairallah MM
Shepherd KW → Rogowsky PM
Shewry PR → Blanco A
Shintaku Y → Zhou WM
Shkutina FM → Badaeva ED
Sidorov V → Hinnisdaels S
Simeone R → Blanco A
Simmonds NW: Selection for local adaptation in a plant breeding programme 363
Singh AK, Sivaramakrishnan S, Mengesha MH, Ramaiah CD: Phylogenetic relations in section Arachis based on seed protein profile 593
Singh KB → Malhotra RS
Singh RM → Sinha B
Singh RP, Payne TS, Rajaram S: Characterization of variability and relationships among components of partial resistance to leaf rust in CIMMYT bread wheats 674
Singh UP → Sinha B
Sinha B, Singh RM, Singh UP: Genetics of leaf blight resistance in wheat 399
Sivaramakrishnan S → Singh AK
Skerritt JH, Martinuzzi O, Metakovsky EV: Chromosomal control of wheat gliadin protein epitopes: analysis with specific monoclonal antibodies 44
Skibinski DOF → Mair GC
Slattery JP → Arumuganathan K
Slocum MK → Song KM
Smith PH → Foster GG
Sobral BWS → Welsh J
Song KM, Suzuki JY, Slocum MK, Williams PH, Osborn TC: A linkage map of *Brassica rapa* (syn. *campestris*) based on restriction fragment length polymorphism loci 296
Sorrells ME → Souza E
Souza E, Sorrells ME: Prediction of progeny variation in oat from parental genetic relationships 233
Spörlein B, Streubel M, Dahlfeld G, Westhoff P, Koop HU: PEG-mediated plastid transformation: a new system for transient gene expression assays in chloroplasts 717
Sproule A, Donaldson P, Dijak M, Bevis E, Pandeya R, Keller WA, Gleddie S: Fertile somatic hybrids between transgenic *Nicotiana tabacum* and transgenic *N. debneyi* selected by dual-antibiotic resistance 450
Sree Ramulu K → Verhoeven HA
St. Pierre MD, Bayer RJ: The impact of domestication on the genetic variability in the orange carrot, cultivated *Daucus carota* ssp. *sativus* and the genetic homogeneity of various cultivars 249
Steinmetz A → Kräuter R
Stephens PA, Nickell CD, Widholm JM: Agronomic evaluation of tissue-culture-derived soybean plants 633
Sternberg H → Breiman A
Stöckigt J → Kostenyuk I
Streubel M → Spörlein B
Stymne S → Wiberg E
Sussman MR → Reiter RS
Sutton BCS, Flanagan DJ, Gawley JR, Newton CH, Lester DT, El-Kassaby YA: Inheritance of chloroplast and mitochondrial DNA in *Picea* and composition of hybrids from introgression zones 242
Suzuki JY → Song KM

Takeda G → Zhou WM
Tanksley SD → Arumuganathan K
Tanksley SD → Messeguer R
Tano S → Sakamoto W
This P → Quiros CF
Till-Bottraud I → Reboud X
Tillberg E → Wiberg E
Trick M → Guilluy C-M
Tuvesson IKD → Larsen ET

Ueda T, Messing J: A homologous expression system for cloned zein genes 93
Urquhart NS → Cryder CM

Vallejos CE, Chase CD: Extended map for the phaseolin linkage group of *Phaseolus vulgaris* L. 353
van der Kop DAM → Van der Leij FR
Van der Leij FR, Visser RGF, Oosterhaven K, van der Kop DAM, Jacobsen E, Feenstra WJ: Complementation of the amylose-free starch mutant of potato (*Solanum tuberosum* L.) by the gene encoding granule-bound starch synthase 289
Veprev SG → Weihe A
Verhoeven HA, Sree Ramulu K: Isolation and characterization of microprotoplasts from APM-treated suspension cells of *Nicotiana plumbaginifolia* 346
Veuskens J → Hinnisdaels S
Vicente MC de → Messeguer R
Vienne D de → Leonardi A
Visser RGF → Van der Leij FR
Voronin V → Kostenyuk I

Wagner DB, Dong J, Carlson MR, Yanchuk AD: Paternal leakage of mitochondrial DNA in *Pinus* 510
Wang CS, Yandell BS, Rutledge JJ: Bias of maximum likehood estimator of intraclass correlation 421
Wang J, Barth J, Abbott AG: Higher plant mitochondrial DNA expression. 1. Variant expression of the plant mitochondrial open reading frame, ORF25, in B37N and B73N maize lines 765
Wang ML, Atkinson MD, Chinoy CN, Devos KM, Harcourt RL, Liu CJ, Rogers WJ, Gale MD: RFLP-based genetic map of rye (*Secale cereale* L.) chromosome *1 R* 174
Warwick SI, Black LD: Molecular systematics of *Brassica* and allied genera (Subtribe Brassicinae, Brassiceae) – chloroplast genome and cytodeme congruence 81
Watanabe K, Peloquin SJ: The occurrence and frequency of 2n pollen in 2x, 4x, and 6x wild, tuber-bearing *Solanum species* from Mexico, and Central and South America 621
Waugh R → Clulow SA
Wehling P: Inheritance, linkage relationship and chromosomal localization of the glutamate oxaloacetate transaminase, acid phosphatase and diaphorase isozyme genes in *Secale cereale* L. 569
Weihe A, Dudareva NA, Veprev SG, Maletsky SI, Melzer R, Salganik RI, Börner Th: Molecular characterization of mitochondrial DNA of different subtypes of male-sterile cytoplasms of the sugar beet *Beta vulgaris* L. 11
Weining S, Langridge P: Identification and mapping of polymorphisms in cereals based on the polymerase chain reaction 209
Weller GL → Foster GG
Welsh J, Honeycutt RJ, McClelland M, Sobral BWS: Parentage determination in maize hybrids using the arbitrarily primed polymerase chain reaction (AP-PCR) 473
Westhoff P → Spörlein B
Wettstein-Knowles P von → Devos KM
Wiberg E, Råhlen L, Hellman M, Tillberg E, Glimelius K, Stymne S: The microscope-derived embryo of *Brassica napus* L. as a tool for studying embryo-specific lipid biogenesis and regulation of oil quality 515
Widholm JM → Stephens PA
Wilkinson MJ → Clulow SA
Williams MNV, Pande N, Nair S, Mohan M, Bennett J: Restriction fragment length polymorphism analysis of polymerase chain reaction products amplified from mapped loci of rice (*Oryza sativa* L.) genomic DNA 489
Williams PH → Song KM
Wyn Jones RG → Gorham J
Wynne JC → Halward TM

Xu S → Muir WM

Yanchuk AD → Wagner DB
Yandell BS → Wang CS
Yano M → Sakamoto W
Yoshida K → Zhou WM
Young EM → Gorham J
Young ND → Messeguer R

Zamir D → Sarfatti M
Zaragoza C → Benito C
Zhou WM, Yoshida K, Shintaku Y, Takeda G: The use of IAA to overcome interspecific hybrid inviability in reciprocal crosses between *Nicotiana tabacum* L. and *N. repanda* Willd. 657

Book reviews 117, 118, 119, 120, 256, 389, 390, 391, 526, 527, 528, 798, 799, 800

Erratum 392

Acknowledgements

The editors wish to thank the following references for their assistance and evaluation of manuscripts submitted

M. Akbar (Los Banos, Philippines)
R. E. Allan (Pullman, USA)
D. Anderson (Adelaide, Australia)
P. Anderson (Canberra, Australia)
P. D. Ascher (St. Paul, USA)
J. R. Baggett (Corvallis, USA)
W. D. Beavis (Johnston, USA)
F. Bonhomme (Perpignan, France)
C. R. Brown (Prosser, USA)
H. Brüning (Grünbach, Germany)
M. J. Carrick (Armindale, Australia)
M. D. Casler (Madison, USA)
C. N. Chaubey (Los Banos, Philippines)
E. H. Coe (Columbus, USA)
T. S. Cox (Manhattan, USA)
S. Crossley (Clayton, Australia)
M. Delseny (Perpignan, France)
J. W. Dudley (Champaign, USA)
K. Esser (Bochum, Germany)
G. Fischbeck (Freising, Germany)
B. Foroughi-Wehr (Grünbach, Germany)
W. Friedt (Gießen, Germany)
D. Galbraith (Tucson, USA)
A. Gallais (Gif sur Yvette, France)
H. G. Gauch (Ithaca, USA)
C. Gebhardt (Köln, Germany)
J. Gibson (Guelph, Canada)
M. M. Goodman (Raleigh, USA)
A. Graner (Grünbach, Germany)
J. P. Gustafson (Columbia, USA)
R. E. Hanneman (Madison, USA)
T. Helentjaris (Salt Lake City, USA)
T. C. Helms (Fargo, USA)
M. J. Havey (Madison, USA)
J. F. Hayes (Ste-Anne-de-Bellevue, Canada)
D. L. Hayman (Adelaide, Australia)
K. Haynes (Beltsville, USA)
D. Hoisington (Mexico, Mexico)
J. W. James (Kensington, Australia)
R. K. Johnson (Lincoln, USA)
C. Jung (München, Germany)
M. J. Kearsey (Birmingham, UK)
A. Kuchko (Nemeshaevo, USSR)
V. Kuchuk (Kiev, USSR)
D. L. Kuhleres (Auburn, USA)
S. Kushnir (Kiev, USSR)
K. M. Lamkey (Ames, USA)
M. Lee (Ames, USA)
J. Martin (Bozeman, USA)
J. Martin (Canberra, Australia)
J. McKenzie (Melbourne, Australia)
A. E. Melchinger (Stuttgart, Germany)
G. Merkle (Stillwater, USA)
C. Möllers (Gießen, Germany)
O. Muona (Oulu, Finland)
P. Murphy (Raleigh, USA)
R. Nehls (Einbeck, Germany)
P. A. Parsons (Adelaide, Australia)
J. J. Pavek (Aberdeen, USA)
S. Peloquin (Madison, USA)
D. G. Pederson (Canbera, Australia)
D. R. Pring (Gainsville, USA)
T. Prout (Davis, USA)
K. Ohyama (Kyoto, Japan)
C. F. Quiros (Davis, USA)
J. Rawlings (Raleigh, USA)
K. Rittland (Ontario, Canada)
L. L. Sanford (Beltsville, USA)
A. Saxton (Baton Rouge, USA)
R. G. Sears (Manhattan, USA)
D. Senadhira (Los Banos, Philippines)
D. V. Shaw (Davis, USA)
V. Sidorov (Kiev, USSR)
P. W. Simon (Madison, USA)
O. S. Smith (Johnston, USA)
C. Souza (Ames, USA)
C. W. Stuber (Raleigh, USA)
J. Sybenga (Wageningen, Netherlands)
G. C. C. Tai (Fredericton, Canada)
S. Tanksley (Ithaca, USA)
M. Tess (Bozeman, USA)
E. Vardi (Bet Dagan, Israel)
F. Vedel (Paris, France)
D. H. Wallace (Ithaca, USA)
H. Walther (Grünbach, Germany)
P. Wehling (Hannover, Germany)
B. Weir (Raleigh, USA)
E. Wernsman (Raleigh, USA)
P. Westhoff (Düsseldorf, Germany)
U. Wienand (Köln, Germany)
L. Willmitzer (Berlin, Germany)
G. Wricke (Hannover, Germany)
F. J. Zapata (Los Banos, Philippines)
F. J. Zeller (Freising, Germany)

as well as the assistance of Mrs. Ann Jenks-Coupland (Nijmegen) and Mrs. Kathy Seaman (Grünbach) at the editorial office.